

Tech Specs

UniFi UISP Branding

Switching WiFi Camera Security Door Access CloudKeys & Gateways Power Tech New I



CloudKeys & Gateways > [CloudKey Enterprise](#)

Datasheet

In The Box

Marketing Images

Installation Guide



Mechanical

Dimensions 787 x 43.7 x 481.4 mm (31 x 1.7 x 19")

Weight 13.1 kg (28.9 lb)

Enclosure material Front panel: aluminium
Chassis: SGCC steel

Mount material SGCC steel

Hardware

Processor 16-core Intel® Xeon®-SP Gold 5218 at 2.3 GHz

Memory	(2) 16 GB DDR4 ECC RDIMM
On-board storage	(1) 256 GB, M.2 2280 SATA
Management interface	Ethernet Bluetooth
Networking interface	LAN: (1) GbE RJ45 port (1) 10G SFP+ port MGMT LAN: (1) GbE RJ45 port
Power method	Universal AC input, 100—240V AC, 7A Max, 50/60 Hz
Power supply	(2) Hot-swappable AC/DC PSU, 550W
LCM display	(1) 1.3" touchscreen
Button	Factory reset
Ambient operating temperature	0 to 35° C (32 to 95° F)
Ambient operating humidity	8 to 90% noncondensing
Certifications	CE, FCC, IC

LEDs

Ethernet	White: link/activity
SFP+	White: link/activity
Power supply	Off: no AC power present Steady green: AC power and DC output active Flashing green: AC power present and DC output inactive Steady amber: AC power lost/failure events Flashing amber: warning events

Application Requirements

UniFi Network	Version 7.3.83 and later
----------------------	--------------------------

Stay in Touch



[Terms and Conditions](#) | [Terms of Service](#) | [Privacy Policy](#) | [Return Policy](#) | [Cookies Settings](#)

© 2024 Ubiquiti, Inc. All rights reserved.